

2020 Venue Specifications

Hyundai Motor America
10550 Talbert Avenue,
Fountain Valley, CA 92708

HyundaiNews.com
HyundaiUSA.com

ENGINE

Smartstream G1.6

Type		Gamma II 1.6 MPI	
Materials		Aluminum block and head	
Bore & stroke (mm)		75.6 x 89.0	
Compression ratio		11.2 :1	
Displacement		1.6 liters / 1598cc	
Horsepower		121 / 6,300 rpm (est.)	
Torque (lb-ft.)		113 / 4,500 (est.)	
TRANSMISSION		SE	SEL
Drive Type	FWD	S	
Transmission Type		6-speed manual	Intelligent Variable Transmission (IVT)
SUSPENSION		SE	SEL
Front	Type	MacPherson strut	
Rear	Type	Coupled Torsion Beam Axle	
STEERING		SE	SEL
Type		Column-Mounted Motor Driven Power Steering (C-MDPS)	
Overall Ratio		14.4	
Turns, lock to lock		2.7	
BRAKES/TIRES/WHEELS		SE	SEL
Front Brake	Type	Ventilated Disc	
	Size	11.0	
Rear Brake	Type	Drum Type / Solid Disc	
	Size	8.0 / 10.3	



ABS w/ Electronic Force Distribution		S	
Tires	185/65R15	S	S
	205/55R17	-	O
Wheels	6.0J X 15	S	S
	6.5J X 17	-	O
EXTERIOR DIMENSIONS (in)		SE	SEL
Wheelbase		99.2	
Length		159	
Width		69.7	
Height (w/o and w/ roof side rails)		61.6 / 62.7	
INTERIOR DIMENSIONS (in)		SE	SEL
Head room (front / 2 nd row)		39.4 / 38.6	
Leg room (front / 2 nd row)		41.3 / 34.3	
Shoulder room (front / 2 nd row)		53.9 / 53.7	
Hip room (front / 2 nd row)		TBD	
WEIGHTS		SE	SEL
Curb Weight (lbs.)		2,257 – 2,732	
CAPACITIES		SE	SEL
Fuel (gallons)		11.9	
VOLUME (cubic ft.)		SE	SEL
Passenger Volume		91.9	
Total Interior Volume		91.9	
Cargo (rear seats up / rear seats folded)		18.7 / 31.9	
FUEL ECONOMY		SE	SEL
City/highway/combined		TBD	

